# How to make an Adobe Pdf file Standard FOGRA39

# HANSENBERG





## How to make an Adobe PDF file - Standard FOGRA39

#### Indhold

### **Standard FOGRA39**

This booklet can help you learn how to create a proper PDF file. Digital print must be FOGRA39. For plotters and other machines ask the printing company which profile to use.

#### Step by step

Before you get started on a document in InDesign.

			New Do	ocument		
Docum	ent Prese	t: [Custo	m]		•	ОК
	Inten	t: Print			•	Cancel
Numbe Sta	er of Page art Page N	s: 1 9: 1	Facir 🗌 🗌 🗌	ig Pages er Text Fr	rame	Save Preset
Page !	Size: A4		÷ –			(Tener options
Wid Heig	th: ‡210 ht: ‡293	0 mm 7 mm	Orientati	on: 👔	æ	
- Colun Numb	er: 📫 1		Gutter	: ‡4,23	3 mm	
– Margi To Botto	ns op: ‡0 n m: ‡0 n	nm nm	Inside Outside	e: ≑0 mm e: ≑0 mm	n	
Bleed	and Slug					
	Тор	Bottom	Inside	Outside	e	
Bleed:	3 mm	3 mm	3 mm	3 mm	3	
Slug:	0 mm	0 mm	0 mm	0 mm	12	



#### #1 Making a PDF file:

Go to: files -> Adobe PDF Presets

- X 2008
- Input a file name, save to folder, or on the desktop.
- Archives: A new dialog will open.

#### # 2 General

#### 2.1 pages

- Press All
- Spreads -> this is done in The RIP process, so we skip that.

#### **# 3 Compression**

3.1 Color images

You must do the following:

- Bicubic Downsampling to 300 ppi.
- Compression -> Automatic (JPEG).
- Image Quality -> Maximum.

#### # 4 Marks and Bleeds

4.1 bleed and Slug

- Check the box "Use Document Bleed Settings"
- Do not "Include Slug Area" (we do that on the printer).

000		Export		
	Arkiver som:	pdf_tutorial.pdf		
• •	:: = •	📄 Skrivebord	<b>;</b> Q	

leeds	Description:	[Based on '[Press Quality]] Use these settings to create Adobe PDF documents best suited for high-quality prepress printing. Created PDF documents can be opened with Acrobat and Adobe Reader S.0 and later.
	Pages	
	○ AII	
	📀 Range:	1-8

General		
Compression	- Colour Images	
Marks and Bleeds	colour mages	
Output	Bicubic Downsampling to 300 pixels per in	nch
Advanced	for images above: 450 pixels per in	hch
Security		
Summary	Compression: Automatic (IPEG) Tile Size: 1	128
	Image Quality: Maximum	

Marks			
All Printer's Marks	Type:	Default	\$
Bleed Marks	Weight:	0.25 pt	•
Registration Marks	Offset:	÷2,117 mm	
Colour Bars			
Page Information			
Bleed and Slug			
Use Document Bleed Setting:	5		
Pland			
bieeu.			
Top: ÷ 3 mm	Inside:	÷ 3 mm	
Top: ÷3 mm	Inside:	÷3 mm	

General Compre Marks a Output

#### # 5 Output

5.1 Colour

You must do the following:

- Colour Conversion: Convert to Destination (Preserve Numbers)
- Destination: Coated FOGRA39
- Profiles Inclusion Policy: Don't Include Profiles.

Now you are ready to "export". When you have finished with "the export", it's a good idea to check the PDF file, to see if everything is in order before it is printed.

	Export Adobe	PDF	_		
dobe PDF Preset:	[PDF/X-4:2008] (modified)				
Standard:	None	Compatibility: Acrobat 5 (PDF 1.4)	;		
eneral ompression arks and Bleeds	Output Colour				
utput	Colour Conversion:	Convert to Destination (Prese			
dvanced	Destination:	Coated FOGRA39 (ISO 12647 🛟			
curity mmary	Profile Inclusion Policy:	Don't Include Profiles			
	Simulate Overprint	Ink Manager			



#### NOTE: REMEMBER (save preset),

then you have it for next time you print. You can save a lot of time to set up a new PDF – also remember to write the PDF file name. You can, as an example, write: "Digital Printing" which means that it can only be used for digital printing!



Skovvangen 28 • 6000 Kolding • Telefon 7932 0100 • www.hansenberg.dk